Are you only testing your design in production?

redhat.



EMERGENCY ALERTS



Emergency Alert

BALLISTIC MISSILE THREAT INBOUND TO HAWAII. SEEK IMMEDIATE SHELTER. THIS IS NOT A DRILL.

Settings



EMERGENCY ALERTS



Emergency Alert

There is no missile threat or danger to the State of Hawaii. Repeat. False Alarm.

Settings

1. State EOC

TEST Message

DRILL-PACOM (DEMO) STATE ONLY

False Alarm BMD (CEM) - STATE ONLY

Monthly Test (RMT) - STATE ONLY

PACOM (CDW) - STATE ONLY

Design is the rendering of internt

Usability tests are big and complicated







Only a researcher can do it

You need to run a thousand tests

```
100 participants
  1 hour per participant
100 hours (2,5 work weeks)
```

10 participants
1 hour per participant
10 hours (1,2 work days)





```
5 participants
30 minutes per participant
2,5 hours
```


10 participants

test 2 things

100 participants


test 20 things!


Who



When

idea	sketch	wireframe	prototype	git branch	beta	production





Unknowns



Participant

Participant





















Participant











Participant

Participant

Team

asking

helping

Participant

Team

asking

talking

helping

asking

Participant

Team

asking

talking


listening

helping

asking

talking

- 1. Write up findings
- 2. Respect privacy
- 3. Fix issues



Thank you! anilsson@redhat.com